



## ***Compact yet Heavy-duty Homogenizer that Offers Excellent Cost-effectiveness***

Bead beater ideal for lysing, extraction, or homogenization, utilizing an aggressive vertical mixing motion. Comes with 4 holders to hold vertically 12x microtubes (1.5 or 2.0 mL), 6x 15 or 5 mL tubes, 3x 50 or 20 mL tubes, and 12x microtubes (1.5 or 2.0 mL) horizontally. Beads are also available and sold separately for complete bead beating solution. The Bead Genie is compact compared to most bead beaters and homogenizers, yet heavy and durable.

### ***Unique Features:***

- **Small but Mighty**

Efficient DC motor and solid metal build enable aggressive 19mm vertical agitation without shifting, while the compact design fits easily into tight lab spaces like biosafety cabinets and cold rooms.

- **Broadly Compatible with Various Centrifuge Tubes and Beads**

Comes with 4 holders for microtubes, 5 mL, 15 mL, 20 mL, and 50 mL tubes, requiring no additional tools for swapping. Supports both glass and stainless steel beads for different sample types.

- **Digital Speed & Timer Control**









Adjustable speed and timer ensure reproducible results and fine control for varied protocols. Variable RUN/STOP time provides rapid pulsing for superior interval mixing.

# BEAD GENIE™


## Specifications

Model	Bead Genie
Control	Digital
Accessories Included	Tube Holder for 12x 1.5/2.0 mL, Tube Holder for 12x 1.5/2.0 mL (horizontal) , Tube Holder for 6x 15/5 mL, Tube Holder for 3x 50/20 mL
Capacity	12x 1.5/2.0 mL microtubes, 6x 15/5 mL tubes, 3x 50/20 mL tubes
Motion	Reciprocating, 19 mm
Speed Range	500 - 4800 strokes per minute
Timer	1 second - 99 minutes
Pulse - ON/OFF Time	1 second - 99 minutes
Safety Certification	CE
Power	100V-240V, 1.5A, 50/60Hz
Dimensions (L x W x H)	165 x 122 x 330 mm
Net Weight	6 kg
Working Environment	0°C - 38°C, 95%RH, non-condensing

## Accessories

			
<b>83041297 (REF #: SI-BSG07)</b>	<b>83041298 (REF #: SI-BS05)</b>	<b>83041299 (REF #: SI-BS03)</b>	<b>83041300 (REF #: SI-BS02)</b>
<b>Genie Bead Sample Pack</b>	<b>Stainless Steel Beads, 5mm</b>	<b>Stainless Steel Beads, 3.2mm</b>	<b>Stainless Steel Beads, 2.4mm</b>
5 types of beads included	Stainless Steel 316 Beads may be used for tough animal tissue and resilient samples	Stainless Steel 316 Beads may be used for tough animal tissue and resilient samples	Stainless Steel 316 Beads may be used for tough animal tissue and resilient samples
			
<b>83041301 (REF #: SI-BG05)</b>	<b>83041302 (REF #: SI-BG01)</b>	<b>30391402</b>	<b>30391404</b>
<b>Disruptor Beads, 0.5mm, 375g (8 fl. oz.)</b>	<b>Disruptor Beads, 0.1mm, 375g (8fl. oz.)</b>	<b>Lysis Tube 100x2mL 100µm ZrO2 Beads</b>	<b>Lysis Tube 100x2mL 400µm ZrO2 Beads</b>
Soda Lime Glass Beads may be used for yeast, fungi	Soda Lime Glass Beads may be used for bacteria, spores	Zirconium Beads may be used for bacteria, spores	Zirconium Beads may be used for yeast, algae, spores

# BEAD GENIE™



30391405

Lysis Tube 100x2mL  
800µm ZrO2 Beads

Zirconium Beads may be used for fungal mycelium, cells, spores, eukaryotic algae



30391406

Lysis Tube 100x2mL  
1.4mm ZrO2 Beads

Zirconium Beads may be used for soft tissues, cultured cells and blood, thin sections of fungal thallus, soft plant material



30391408

Lysis Tube 100x2mL  
3mm ZrO2 Beads


Zirconium Beads may be used for plant, stems, roots, leaves



30391409

Lysis Tube 100x2mL  
3mm SS. Beads

Stainless Steel 440C Beads may be used for tough animal tissue and resilient samples



30391410

Lysis Tube 100x2mL  
0.1/0.8/3mm ZrO2 Bead

Zirconium Beads may be used for feces, soil, sediments, biofilms



30391433

Lysis Tube 14x2mL Sample Kit

7 types of beads included

## Install Microtubes Horizontally



1. Pick horizontal tube holder



2. Put tube holder onto shaft



3. Place tubes on holder, cap end inward



4. Put lid on and tighten thumbscrew



5. Check if tubes are firmly clamped



6. Go bead beating

# BEAD GENIE™

## Install Tubes Vertically



1. Pick vertical tube holder



2. Put tube holder onto shaft



3. Hang tubes by cap's edge



4. Put lid on and tighten thumbscrew



5. Check if tubes are firmly clamped



6. Go bead beating

## Other Features and Equipment

Coated aluminum housing and bottom plate, rubber feet, protective sleeve, backlit Liquid Crystal Display (LCD), tool-free interchangeable tube holders, countdown timer, solid metal casting weighing 13 pounds (6 kilos) ensures stable performance without movement.

## Compliance

- **Product Safety:** IEC/EN 61010-1; IEC/EN 61010-2-051
- **Electromagnetic Compatibility:** IEC/EN 61326-1 Class A, Industrial environments; Canada ICES-003 Class A; FCC Part 15 Class A
- **Compliance Marks:** CE; RCM; WEEE

**MULTI-FUNCTION INCUBATOR GENIE™**

Refrigerate, Heat, Rotate, Rock, Stir, and Shake All in ONE Compact Benchtop Equipment!

Genie Incubators offer precise, accurate temperature control for demanding incubation and refrigeration tasks without requiring costly space. Coated for better cleaning, superior vibration protection. The stainless-steel cabinet provides long service life. Includes a 100-hour timer and an auto-off feature. Includes a 100-hour timer and an auto-off feature. Includes a 100-hour timer and an auto-off feature.

**Unique Features:**

- Designed for Precision: Built for versatility. Used for 100+ applications.
- Compact Design: Fits on a bench top. Weighs only 13 lbs. Includes a carrying handle, rubber feet, and a protective sleeve.
- Design: Rotates, Heats, Cools, Stirs, Shakes, and Rockers. Includes a 100-hour timer and an auto-off feature.
- Multi-use: 100+ applications. Includes a 100-hour timer and an auto-off feature.
- 100-hour timer and auto-off feature.

**2 Block Dry Block Heaters**

Variable Block Heaters Designed for Everyday Use with Accessories for Every Application.

Variable Block Heaters are ideal for applications that require temperature stability, an accurate and consistent heat source, and a reliable, accurate heat source. Heating uniformity, heating uniformity, heating uniformity.

**Unique Features:**

- These models are custom for applications. All models offer exceptional temperature uniformity with excellent temperature stability.
- Avoid contamination to ensure reproducible, reliable results. The heatblock with heated lid features a special design to help reduce contamination to reaction vials.
- Avoid temperature accuracy. Digital models include a unique patent calibration system to ensure the Block Heater's ability to achieve uniform temperature throughout for 1 temperature setpoint.



80777173\_A\_2060211 © Copyright OHAUS Corporation

OHAUS Asia/Pacific Headquarters  
e-mail: [APmarketing@ohaus.com](mailto:APmarketing@ohaus.com)  
Tel: +86 21 64855408

With offices throughout Europe, Asia, and Latin America  
ISO 9001:2015  
Registered Quality Management System

