RETAIL WEIGHING SOLUTION™









Dual interval technology

CAS ERPLUS

Client view pole display

CAS

Soft touch key pad

ERPLUS SERIES

Price Computing Scale

CAS ERPLUS Series with its reliable and flexible weighing functions and sophisticated design is possibly the best equipment for enhancing your business operation and process.

- Trade approved
- Connect to ticket (DEP-50) printer
- High resolution and dual interval technology
- LCD display









ERPLUS SERIES | Price Computing Scales

Features

Display options

The ERPLUS comes with an LCD display. Choose between the standard non-pole type or pole type display. The pole type display is reversed so that clients are in full view of price and weight.



LCD Display A



Standard Type A

Pole Type ▲

Auto-power off function

The ERPLUS scale will automatically switch itself off if left unused for a set period of time.

Soft touch tact switch key pad

Soft touch tact switch with silicon rubber keypad provides protection from such things as water, flour, dirt and other external objects interferring.



Rechargeable battery

The scale can be used up to 200hrs(LCD) after recharging the battery for 10 hours.



Double tray

Designed with both plastic and stainless steel trays that are made from heavy-duty and washable materials.



Dual interval technology with high resolution

High resolution (1/3,000) and dual interval technology which allows the scale weighing intervals to automatically change when a certain amount of weight is loaded on the tray.



ERPLUS SERIES | Price Computing Scales


Ticket Printing System

Connect with a ticket printer

The ERPLUS series can be connected to DEP-50 (Ticket) printer via RS-232C interface. Once connected the ERPLUS series can be used as a ticket printing scale. Furthermore, it is possible to modify the ticket format via PC ticket editing software that is provided.

CAS Cor	poration		
DATE.	06/01/07		
weight	unit price	total	
(kg)	(\$/kg)	(\$)	
Apple			
0.450	1.23	0.57	
Banana			
0.460	1.23	0.57	
Kiwi			
0.460	4.56	2.10	
Sum(\$)		3.24	
Count		3	
Paymen	rt(\$)	3.24	
Change(\$)		0.00	1

▲ Sample of a Ticket



Options

- Client view pole display
- RS-232C interface (Connect with PC or Pinters)
- Backlight
- Fish tray
- DEP-50 ticket printer



▲ Client view pole display



▲ Printer



▲ RS-232C Interface



▲ Fish Tray



▲ Dust Protection Cover



ERPLUS SERIES | Price Computing Scales

SPECIFICATIONS

Model	ERPLUS Series			
Max. Capacity (kg)	3/6	6/15	15/30	
Readability (g)	1/2	2/5	5/10	
Max. Tare (kg)	-2.999	-5.998	-14.995	
Internal Resolution	1/60,000			
External Resolution	1/3,000 (Dual Interval)			
Display Digit	5/6/6 (Weight / Unit Price / Total Price)			
Display Type	LCD			
Operating Temp.	-10°C ~ 40°C			
Power	Rechargeable Battery, 12V DC Adapter			
Battery Life	200 hrs			
Platter Size (mm)	304(W) x 220(D)			
Dimensions (mm)	Standard Type: 330(W) x 346(D) x 107(H) Pole Type: 330(W) x 384(D) x 413(H)			
Product Weight (kg)	StandardType: 4.7 PoleType: 5.5			

FEATURES

- Apply 5 direct PLU's with 200 indirect PLU's
 *PLU (Price-Look-Up) function: Preset keys for frequent transaction items and it's price. Easy and convenient.
- Soft touch tact switch with silicon rubber key pad
- Adopted dual interval technology for better accuracy
- LCD display
- Functions: Calculation, Daily total, Auto power-off
- Adjustable weighing stability
- Dust protection cover

OPTIONS

- Client view pole display
- Backlight
- RS-232C interface (Connect with PC or Pinters)
- DEP-50 Ticket printer
- Fish tray



info@ansutek.co.nz www.ansutek.co.nz www.ansutekbiz.co.nz

DIMENSIONS

